



How to apply the demo license for XWINNMR or TOPSPIN


1. 點選 開始
2. 點選 執行




3. 鍵入 cmd 後按下確定




4. 出現下面畫面後，鍵入 ipconfig /all




5. 出現下面畫面後，記下 physical address 12 碼




6. 將滑鼠移至我的電腦並按下滑鼠右鍵選取 內容



7. 出現下面視窗後，點選電腦名稱




8. 記下在電腦描述裡的電腦名稱



9. 用 記事本 開啟 license 樣版

(c:\flexlm\Bruker\licenses\example_license)




```
example_license - WordPad
檔案(F) 編輯(E) 檢視(V) 插入(I) 格式(O) 說明(H)
[Icons]
$SERVER your_computer_name your_hostid 1700
DAEMON bruker_ls c:\flexlm\bruker\bruker_ls.exe

# The contents of this file must be changed according to your computer!
#
# Replace the string 'your_computer_name' by the hostname your computer
# which can be obtained by clicking:
#
#   Start -> Settings -> Control Panel -> Network
#
# Replace the string 'your_hostid' by the hostid of your computer, a 12-digit
# number which can be obtained by opening a command prompt and entering:
#
#   c:
#   cd \flexlm\bruker
#   lnutil lmhostid
#
# Append the FEATURE lines which you received from Bruker after the DAEMON line.
# Never change the FEATURE lines; no extra blanks, tabs etc. are allowed!
# The 12-digit number at the end of each FEATURE line must be the same as the
# hostid is the SERVER line.
```

如需說明，請按 F1 NUM

10. 在第一行輸入你的電腦名稱及 physical address 的 12 碼
11. 將 license code 貼入第四行以下
12. 另存新檔，檔案類型選取 所有檔案



13. 檔名 license.dat

14. 儲存

15. 關閉記事本